



Setting the Standard for Shielding.™

Masach DS-RF Shields / Catalog 2026

NextGen RF Shields 5G-Enabled.

Search across hundreds of EMI/RFI Shields
Enjoy Utmost-Flexibility in Design



Part # / Keyword



[Rev / December 30, 2025 11:56 PM]



B.C.E. SRL / FRANCHISE DISTRIBUTOR
IMPORTATION & DISTRIBUTION OF ELECTRONICS COMPONENTS
VIA REGINA PACIS, 54/C 41049 SASSUOLO (MO) ITALY
TEL: (+39) 0536 811 616 / FAX: (+39) 0536 811 500
<https://www.bce.it> / bce@bce.it



www.masach.com



Masach

Setting the Standard for Shielding.™



Founded in 1994, Masach™ brings over thirty years of know-how and expertise into every standard shield produced. Our ever-growing selection of standard EMI/RFI shields is the largest in the industry, saving our customers precious time and money while catering to the electronic industry's growing high frequency and RF applications. With emphasis on technology and design*, Masach™ drawn EMI/RFI shields boast top performance across the metrics, featuring a seamless protective cage, robust construction, optimal planarity and one-piece or two-piece shield configurations.

**Products design and development is certified under ISO 9001 only.*



®

Masach Tech Ltd.
22 HaGanan, Modiin
7169513 P.O.B 540 Israel
t +972 (0) 8 9754681
f +972 (0) 8 9754682
e info@masach.com
www.masach.com




B.C.E. SRL / FRANCHISE DISTRIBUTOR
IMPORTATION & DISTRIBUTION OF ELECTRONICS COMPONENTS
VIA REGINA PACIS, 54/C 41049 SASSUOLO (MO) ITALY
TEL: (+39) 0536 811 616 / FAX: (+39) 0536 811 500
<https://www.bce.it> / bce@bce.it



This catalog was designed for marketing purposes while considering the environment. We maintain green printing using base colors only and 100% recycled paper use. Please consider the environment before printing this file.

Copyrights © 2026 MASACH TECH LTD. MASACH™, Masach™, Masach Tech™ and related logos and taglines, are trademarks of MASACH TECH LTD. Other unrelated trademarks shown are the property of their respective owners.

Whatever your EMI/RFI challenge..



Introduction



Masach™ specializes in board level EMI/RFI shielding design and production for small, medium and large scale runs. Founded in 1994, Masach™ is a globally recognized and leading supplier of some of the world's largest electronic companies, driven by highest quality customer service with uncompromised product performance.

Every step of the production cycle, from raw materials and design to packaging and shipping, is meticulously executed under one roof leveraging dedicated hydraulic presses, cutting-edge tool room assemblies, forming operations and more.

Masach™ utilizes the latest laser technology to deliver most advanced 3D cutting of formed or bent shields made of thin gage materials, CNC punching and more. We remain committed to meet the needs of every industry – from telecommunications and network equipment to military and medical – with the right board level EMI/RFI shielding solution for every challenge.

Drawn-Seamless (DS) EMI/RFI Shields

High Performance EMI/RFI Shields

Exclusive, Seamless EMI/RFI shields
for a higher level of protection

[Learn More](#)

A higher Level of Protection




Introducing the **Masach™ DS-RF Shields** series – A premium line of Drawn-Seamless EMI/RFI shields, engineered for exceptional protection against electromagnetic and radio frequency interference. Manufactured using a precision deep-draw process, these shields feature seamless construction that delivers enhanced shielding performance, mechanical strength, and design versatility.


While most conventional shields are manufactured by bending frames and covers—often leaving slits that compromise protection, Masach™ utilizes an advanced one-piece and two-piece drawn-frames combined with snap-on covers, creating a seamless, more hermetically sealed shields that offers superior durability and shielding integrity.

With a convenient two-piece design, **Masach™ DS-RF Shields** allow easy inspection and repair of shielded components without removing the entire enclosure. In addition, the exceptional planarity of our drawn frames ensures optimal reflow soldering performance, enhancing both reliability and production yield.

Masach™ DS-RF Shields



Features & Benefits




- Seamless Protective Cage for higher shielding effectiveness
- Optimal Planarity for higher yield on reflow soldering
- Solid Construction to resist dents and warps
- Two-piece Shield Design enables to repair components without removing the shield, saving time and reducing repair damage

Largest Selection in the Industry

Largest Library of 2-piece EMI/RFI Shields

Extensive range of Drawn EMI/RFI shields from Masach, boosts flexibility

[Learn More](#)



Enjoy our extensive range of EMI/RFI shields for utmost flexibility in design




Masach™ offers the largest selection of Drawn-Seamless EMI/RFI shields in the electronics industry. Our ever-growing range of sizes delivers more flexibility in surface mount configurations where interference may occur or is identified during the board design phase. The highly reliable two-piece design (frame and cover) accommodates virtually any surface mount application.

Fast and Economical Approach


Fast and Economical EMI/RFI Shields

Off-the shelf, Fully SMD Compatible
suitable for all stages of production

[Learn More](#)



Shorter engineering design time, lower product cost and quicker time to market



Masach™ standard shields saves on custom design costs, doing away with the need to produce expensive prototypes for evaluation, as well as significantly reduces delivery times. **Masach™ DS-RF Shields** consist of Tin-plated Steel and Nickel Silver alloys, commonly used for board-level shielding due to their exceptional mechanical formability, environmental compliance, and relative low cost.

Engineers taking part in the board design phase can take advantage of the information concerning all mechanical aspects of Masach™ shields, conveniently available for download (PDF datasheets and CAD files), from the website product page.


We offer the largest selection of standard Drawn-Seamless RF Shields in the industry!

Pick-out your next EMI/RFI Shield >>

Stay updated. View our Online Catalog:
www.masach.com




Download our **free CADs**
& **OrderOnline**



If you cannot find a standard shield according to your requirements, please contact us @
info@masach.com and we will make the adjustments or find a suitable solution for your specific needs.

Masach™ DS-RF Shields / Standard Line



MS P/N.	Item Description	Material	Ext. Dimensions (mm)		
			L	W	H

MS087-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	9.3	6.9	2.7
MS087-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	8.7	6.3	3
MS087-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	8.7	6.3	3
MS093-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	9.7	9.7	3
MS093-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	9.3	9.3	5
MS093-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	9.3	9.3	5
MS102-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	10.8	6.6	3
MS102-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	10.2	6	3
MS102-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	10.2	6	3
MS108-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	11.2	7.8	2
MS108-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	10.8	7.4	2
MS108-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	10.8	7.4	2
MS110-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	11.6	11.6	2.8
MS110-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	11	11	2.8
MS110-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	11	11	2.8
MS110-20C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	11.6	11.6	2.8
MS110-20F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	11	11	6
MS110-20S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	11	11	6

MS P/N.	Item Description	Material	Ext. Dimensions (mm)		
			L	W	H
MS128-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	13.2	12.7	3.5
MS128-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	12.8	12.3	7.5
MS128-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	12.8	12.3	7.5
MS130-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	13.6	13.6	3
MS130-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	13	13	5
MS130-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	13	13	5
MS130-20C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	13.6	7.6	2.8
MS130-20CP	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	13.6	7.6	2.8
MS130-20F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	13	7	6.5
MS130-20S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	13	7	6.5
MS135-20C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	14.1	14.1	3
MS135-20F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	13.5	13.5	5
MS135-20S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	13.5	13.5	5
MS148-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	15.2	9.3	2
MS148-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	14.8	8.9	2
MS148-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	14.8	8.9	2
MS148-20C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	15.2	15.2	1.8
MS148-20F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	14.8	14.8	2
MS148-20S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	14.8	14.8	2
MS155-20C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	15.9	11.9	2.1
MS155-20F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	15.5	11.5	2.3
MS155-20S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	15.5	11.5	2.3
MS156-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	16	11	2.6
MS156-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	15.6	10.6	3
MS156-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	15.6	10.6	3
MS168-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	17.2	13.9	3
MS168-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	16.8	13.5	5
MS168-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	16.8	13.5	5
MS182-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	18.6	17	3.5

MS P/N.	Item Description	Material	Ext. Dimensions (mm)		
			L	W	H
MS182-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	18.2	16.6	3.8
MS182-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	18.2	16.6	3.8
MS183-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	18.9	11.1	3
MS183-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	18.3	10.5	3
MS183-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	18.3	10.5	3
MS183-20C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	18.7	15.8	1.7
MS183-20F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	18.3	15.4	1.9
MS183-20S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	18.3	15.4	1.9
MS190-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	19.4	14.3	1.7
MS190-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	19	13.9	2
MS190-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	19	13.9	2
MS191-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	19.7	18.8	3.5
MS191-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	19.1	18.2	5
MS191-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	19.1	18.2	5
MS192-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	19.6	15.3	3.5
MS192-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	19.2	14.9	3.8
MS192-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	19.2	14.9	3.8
MS193-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	19.9	11.1	2.7
MS193-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	19.3	10.5	3
MS193-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	19.3	10.5	3
MS193-20C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	19.9	18.9	3
MS193-20F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	19.3	18.3	3.5
MS193-20S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	19.3	18.3	3.5
MS199-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	20.3	9.6	2
MS199-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	19.9	9.2	2
MS199-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	19.9	9.2	2
MS199-20C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	20.3	18.3	2
MS199-20F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	19.9	17.9	2.3
MS199-20S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	19.9	17.9	2.3

MS P/N.	Item Description	Material	Ext. Dimensions (mm)		
			L	W	H
MS206-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	21.2	18.4	2.7
MS206-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	20.6	17.8	3
MS206-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	20.6	17.8	3
MS207-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	21.3	18.8	3.5
MS207-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	20.7	18.2	5.5
MS207-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	20.7	18.2	5.5
MS209-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	21.3	15.7	1.7
MS209-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	20.9	15.3	1.7
MS209-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	20.9	15.3	1.7
MS209-20C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	21.3	15.7	1.7
MS209-20F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	20.9	15.3	2
MS209-20S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	20.9	15.3	2
MS209-30C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	21.3	14.4	2.2
MS209-30F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	20.9	14	2.2
MS209-30S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	20.9	14	2.2
MS210-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	21.6	12.6	4
MS210-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	21	12	5
MS210-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	21	12	5
MS213-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	21.7	20.3	2.5
MS213-10CP	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	21.7	20.3	2.5
MS213-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	21.3	19.9	2.9
MS213-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	21.3	19.9	2.9
MS215-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	21.9	19.6	3.5
MS215-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	21.5	19.2	3.8
MS215-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	21.5	19.2	3.8
MS220-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	22.6	19.9	3
MS220-10CP	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	22.6	19.9	3
MS220-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	22	19.3	3.3
MS220-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	22	19.3	3.3

MS P/N.	Item Description	Material	Ext. Dimensions (mm)		
			L	W	H
MS220-20C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	22.4	18.1	3
MS220-20F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	22	17.7	3
MS220-20S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	22	17.7	3
MS220-30C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	22.6	11.9	2.8
MS220-30CP	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	22.6	11.9	2.8
MS220-30F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	22	11.3	2.8
MS220-30S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	22	11.3	2.8
MS220-40C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	22.6	11.9	2.8
MS220-40CP	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	22.6	11.9	2.8
MS220-40F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	22	11.3	7
MS220-40S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	22	11.3	7
MS223-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	22.7	17.7	4
MS223-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	22.3	17.3	5
MS223-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	22.3	17.3	5
MS226-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	23	17.5	2
MS226-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	22.6	17.1	2
MS226-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	22.6	17.1	2
MS230-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	23.6	12.3	3
MS230-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	23	11.7	5
MS230-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	23	11.7	5
MS230-20C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	23.4	15.2	3.5
MS230-20F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	23	14.8	3.8
MS230-20S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	23	14.8	3.8
MS233-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	23.7	17.9	2.8
MS233-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	23.3	17.5	3.3
MS233-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	23.3	17.5	3.3
MS233-20C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	23.7	14.9	3
MS233-20F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	23.3	14.5	3
MS233-20S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	23.3	14.5	3

MS P/N.	Item Description	Material	Ext. Dimensions (mm)		
			L	W	H
MS243-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	24.7	9.3	3
MS243-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	24.3	8.9	3.8
MS243-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	24.3	8.9	3.8
MS250-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	25.6	21.6	3
MS250-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	25	21	4
MS250-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	25	21	4
MS256-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	26	15.9	2.3
MS256-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	25.6	15.5	2.3
MS256-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	25.6	15.5	2.3
MS257-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	26.3	26.3	4
MS257-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	25.7	25.7	6.5
MS257-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	25.7	25.7	6.5
MS259-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	26.3	26.3	3
MS259-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	25.9	25.9	3
MS259-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	25.9	25.9	3
MS260-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	26.6	23.6	4
MS260-10CP	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	26.6	23.6	4
MS260-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	26	23	7.8
MS260-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	26	23	7.8
MS263-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	26.9	17.4	4
MS263-10CP	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	26.9	17.4	4
MS263-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	26.3	16.8	4.5
MS263-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	26.3	16.8	4.5
MS263-20C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	26.9	20.4	3.7
MS263-20F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	26.3	19.8	8.1
MS263-20S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	26.3	19.8	8.1
MS266-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	27	25.8	3.5
MS266-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	26.6	25.4	3.8
MS266-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	26.6	25.4	3.8

MS P/N.	Item Description	Material	Ext. Dimensions (mm)		
			L	W	H
MS268-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	27.4	16.2	2.5
MS268-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	26.8	15.6	2.5
MS268-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	26.8	15.6	2.5
MS268-20C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	27.4	16.2	2.5
MS268-20F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	26.8	15.6	4
MS268-20S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	26.8	15.6	4
MS270-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	27.6	20.6	3.5
MS270-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	27	20	6
MS270-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	27	20	6
MS288-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	29.4	20	4
MS288-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	28.8	19.4	5
MS288-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	28.8	19.4	5
MS290-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	29.6	26.6	2.9
MS290-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	29	26	3
MS290-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	29	26	3
MS293-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	29.9	25.9	4
MS293-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	29.3	25.3	6.4
MS293-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	29.3	25.3	6.4
MS293-20C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	29.9	16.9	3.5
MS293-20F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	29.3	16.3	9.7
MS293-20S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	29.3	16.3	9.7
MS300-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	30.6	25	3
MS300-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	30	24.4	3.5
MS300-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	30	24.4	3.5
MS300-20C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	30.4	15.2	1.8
MS300-20F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	30	14.8	2
MS300-20S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	30	14.8	2
MS302-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	30.8	19.5	2.7
MS302-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	30.2	18.9	3

MS P/N.	Item Description	Material	Ext. Dimensions (mm)		
			L	W	H
MS302-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	30.2	18.9	3
MS308-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	31.4	18.4	4.4
MS308-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	30.8	17.8	4.4
MS308-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	30.8	17.8	4.4
MS310-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	31.6	17.7	2.7
MS310-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	31	17.1	3
MS310-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	31	17.1	3
MS312-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	31.8	30.6	4
MS312-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	31.2	30	5
MS312-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	31.2	30	5
MS320-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	32.4	11.7	2
MS320-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	32	11.3	2
MS320-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	32	11.3	2
MS321-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	32.5	17	2.2
MS321-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	32.1	16.6	2.5
MS321-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	32.1	16.6	2.5
MS323-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	32.9	24.4	4
MS323-10CP	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	32.9	24.4	4
MS323-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	32.3	23.8	3.7
MS323-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	32.3	23.8	3.7
MS323-20C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	32.9	24.4	4
MS323-20CP	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	32.9	24.4	4
MS323-20F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	32.3	23.8	4.7
MS323-20S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	32.3	23.8	4.7
MS323-30C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	32.9	24.4	4
MS323-30CP	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	32.9	24.4	4
MS323-30F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	32.3	23.8	9
MS323-30S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	32.3	23.8	9
MS326-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	33	20.4	2.8

MS P/N.	Item Description	Material	Ext. Dimensions (mm)		
			L	W	H
MS326-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	32.6	20	5
MS326-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	32.6	20	5
MS329-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	33.3	21.1	2.2
MS329-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	32.9	20.7	2.5
MS329-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	32.9	20.7	2.5
MS333-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	33.9	13.9	3.5
MS333-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	33.3	13.3	4.4
MS333-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	33.3	13.3	4.4
MS338-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	34.2	30.7	3.2
MS338-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	33.8	30.3	3.3
MS338-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	33.8	30.3	3.3
MS345-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	35.1	23.9	3.3
MS345-10CP	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	35.1	23.9	3.3
MS345-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	34.5	23.3	3.5
MS345-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	34.5	23.3	3.5
MS345-20C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	35.1	22.1	2.8
MS345-20F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	34.5	21.5	3.2
MS345-20S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	34.5	21.5	3.2
MS350-20C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	35.6	12.6	4
MS350-20CP	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	35.6	12.6	4
MS350-20F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	35	12	7.5
MS350-20S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	35	12	7.5
MS353-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	35.7	20.4	3.5
MS353-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	35.3	20	6.4
MS353-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	35.3	20	6.4
MS353-20C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	35.7	22.7	3.5
MS353-20F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	35.3	22.3	6.4
MS353-20S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	35.3	22.3	6.4
MS353-30C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	35.9	29.7	3

MS P/N.	Item Description	Material	Ext. Dimensions (mm)		
			L	W	H
MS353-30F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	35.3	29.1	3.5
MS353-30S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	35.3	29.1	3.5
MS355-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	36.1	19.6	3.8
MS355-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	35.5	19	5.5
MS355-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	35.5	19	5.5
MS366-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	37	34.5	2.8
MS366-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	36.6	34.1	3.3
MS366-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	36.6	34.1	3.3
MS374-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	37.8	24.3	3.5
MS374-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	37.4	23.9	3.8
MS374-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	37.4	23.9	3.8
MS375-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	38.1	29.9	3.8
MS375-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	37.5	29.3	6.5
MS375-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	37.5	29.3	6.5
MS378-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	38.4	22.2	2.7
MS378-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	37.8	21.6	3
MS378-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	37.8	21.6	3
MS378-20C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	38.4	15.7	3.1
MS378-20F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	37.8	15.1	3.7
MS378-20S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	37.8	15.1	3.7
MS381-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	38.7	25.9	2.7
MS381-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	38.1	25.3	3
MS381-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	38.1	25.3	3
MS382-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	38.8	33.9	3
MS382-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	38.2	33.3	5
MS382-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	38.2	33.3	5
MS384-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	39	38.2	4
MS384-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	38.4	37.6	11
MS384-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	38.4	37.6	11

MS P/N.	Item Description	Material	Ext. Dimensions (mm)		
			L	W	H
MS385-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	38.9	19.9	3.5
MS385-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	38.5	19.5	3.8
MS385-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	38.5	19.5	3.8
MS385-30C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	38.9	21.9	1.8
MS385-30F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	38.5	21.5	2
MS385-30S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	38.5	21.5	2
MS400-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	40.6	18.9	3
MS400-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	40	18.3	4
MS400-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	40	18.3	4
MS400-20C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	40.6	11.6	3.5
MS400-20CP	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	40.6	11.6	3.5
MS400-20F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	40	11	7.5
MS400-20S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	40	11	7.5
MS402-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	40.8	35.2	3.5
MS402-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	40.2	34.6	5.3
MS402-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	40.2	34.6	5.3
MS405-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	41.1	19.5	2.8
MS405-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	40.5	18.9	2.8
MS405-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	40.5	18.9	2.8
MS409-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	41.3	21.9	2.4
MS409-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	40.9	21.5	2.5
MS409-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	40.9	21.5	2.5
MS410-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	41.6	27	3.1
MS410-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	41	26.4	3.7
MS410-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	41	26.4	3.7
MS412-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	41.8	14.2	3.2
MS412-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	41.2	13.6	5.1
MS412-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	41.2	13.6	5.1
MS415-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	42.1	17.4	4

MS P/N.	Item Description	Material	Ext. Dimensions (mm)		
			L	W	H
MS415-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	41.5	16.8	6.8
MS415-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	41.5	16.8	6.8
MS415-20C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	42.1	27.1	5
MS415-20F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	41.5	26.5	9.5
MS415-20S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	41.5	26.5	9.5
MS423-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	42.9	15.9	3.5
MS423-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	42.3	15.3	4.4
MS423-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	42.3	15.3	4.4
MS434-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	44	29	3.1
MS434-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	43.4	28.4	3.3
MS434-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	43.4	28.4	3.3
MS448-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	45.2	18.6	2.8
MS448-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	44.8	18.2	3
MS448-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	44.8	18.2	3
MS448-20C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	45.2	18.6	2.8
MS448-20F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	44.8	18.2	5.7
MS448-20S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	44.8	18.2	5.7
MS453-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	45.9	16.8	2.9
MS453-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	45.3	16.2	6
MS453-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	45.3	16.2	6
MS460-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	46.4	15.2	1.8
MS460-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	46	14.8	2
MS460-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	46	14.8	2
MS466-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	47.2	17.9	4
MS466-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	46.6	17.3	5
MS466-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	46.6	17.3	5
MS473-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	47.9	23.9	3.5
MS473-10CP	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	47.9	23.9	3.5
MS473-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	47.3	23.3	5.3

MS P/N.	Item Description	Material	Ext. Dimensions (mm)		
			L	W	H
MS473-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	47.3	23.3	5.3
MS477-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	48.3	18.8	3
MS477-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	47.7	18.2	4
MS477-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	47.7	18.2	4
MS483-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	48.9	44.9	4
MS483-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	48.3	44.3	4.4
MS483-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	48.3	44.3	4.4
MS488-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	49.4	17.9	3.5
MS488-10CP	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	49.4	17.9	3.5
MS488-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	48.8	17.3	7.5
MS488-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	48.8	17.3	7.5
MS490-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	49.6	35.6	3.5
MS490-10CP	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	49.6	35.6	3.5
MS490-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	49	35	7.5
MS490-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	49	35	7.5
MS501-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	50.7	34.5	4
MS501-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	50.1	33.9	5.3
MS501-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	50.1	33.9	5.3
MS511-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	51.7	26.3	4
MS511-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	51.1	25.7	6.5
MS511-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	51.1	25.7	6.5
MS511-20C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	51.7	39	4
MS511-20F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	51.1	38.4	6.5
MS511-20S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	51.1	38.4	6.5
MS513-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	51.9	27.1	3.5
MS513-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	51.3	26.5	9.5
MS513-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	51.3	26.5	9.5
MS520-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	52.6	27.3	3.5
MS520-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	52	26.7	6

MS P/N.	Item Description	Material	Ext. Dimensions (mm)		
			L	W	H
MS520-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	52	26.7	6
MS544-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	55	24.5	5
MS544-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	54.4	23.9	7.5
MS544-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	54.4	23.9	7.5
MS544-20C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	55	24.5	3.5
MS544-20CP	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	55	24.5	3.5
MS544-20F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	54.4	23.9	13.5
MS544-20S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	54.4	23.9	13.5
MS546-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	55.2	30.2	3.5
MS546-10CP	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	55.2	30.2	3.5
MS546-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	54.6	29.6	7
MS546-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	54.6	29.6	7
MS548-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	55.4	41.4	4
MS548-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	54.8	40.8	11
MS548-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	54.8	40.8	11
MS570-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	57.6	31.6	3.5
MS570-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	57	31	6
MS570-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	57	31	6
MS585-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	59.1	50.3	3
MS585-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	58.5	49.7	4.7
MS585-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	58.5	49.7	4.7
MS593-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	59.9	21.2	2.5
MS593-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	59.3	20.6	2.8
MS593-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	59.3	20.6	2.8
MS593-20C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	59.9	21.2	3
MS593-20F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	59.3	20.6	5.7
MS593-20S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	59.3	20.6	5.7
MS595-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	60.1	51	2.5
MS595-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	59.5	50.4	3.2

MS P/N.	Item Description	Material	Ext. Dimensions (mm)		
			L	W	H
MS595-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	59.5	50.4	3.2
MS631-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	63.5	35.9	2.5
MS631-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	63.1	35.5	2.8
MS631-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	63.1	35.5	2.8
MS638-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	64.4	36.9	4
MS638-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	63.8	36.3	11
MS638-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	63.8	36.3	11
MS643-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	64.9	20.9	5
MS643-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	64.3	20.3	6.7
MS643-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	64.3	20.3	6.7
MS737-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	74.3	28.7	3
MS737-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	73.7	28.1	2.9
MS737-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	73.7	28.1	2.9
MS900-10C	2-piece EMI/RFI Shield COVER	Tin-Steel (CRS)	90.6	40	3.5
MS900-10F	2-piece EMI/RFI Shield FRAME	Tin-Steel (CRS)	90	39.4	4
MS900-10S	1-piece EMI/RFI Shield	Tin-Steel (CRS)	90	39.4	4
MS087-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	9.3	6.9	2.7
MS087-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	8.7	6.3	3
MS087-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	8.7	6.3	3
MS093-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	9.7	9.7	3
MS093-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	9.3	9.3	5
MS093-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	9.3	9.3	5
MS102-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	10.8	6.6	3
MS102-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	10.2	6	3
MS102-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	10.2	6	3
MS108-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	11.2	7.8	2
MS108-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	10.8	7.4	2
MS108-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	10.8	7.4	2

MS P/N.	Item Description	Material	Ext. Dimensions (mm)		
			L	W	H
MS110-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	11.6	11.6	2.8
MS110-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	11	11	2.8
MS110-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	11	11	2.8
MS110-20C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	11.6	11.6	2.8
MS110-20F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	11	11	6
MS110-20S-NS	1-piece EMI/RFI Shield	Nickel-Silver	11	11	6
MS128-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	13.2	12.7	3.5
MS128-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	12.8	12.3	7.5
MS128-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	12.8	12.3	7.5
MS130-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	13.6	13.6	3
MS130-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	13	13	5
MS130-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	13	13	5
MS130-20C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	13.6	7.6	2.8
MS130-20CP-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	13.6	7.6	2.8
MS130-20F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	13	7	6.5
MS130-20S-NS	1-piece EMI/RFI Shield	Nickel-Silver	13	7	6.5
MS135-20C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	14.1	14.1	3
MS135-20F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	13.5	13.5	5
MS135-20S-NS	1-piece EMI/RFI Shield	Nickel-Silver	13.5	13.5	5
MS148-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	15.2	9.3	2
MS148-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	14.8	8.9	2
MS148-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	14.8	8.9	2
MS148-20C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	15.2	15.2	1.8
MS148-20F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	14.8	14.8	2
MS148-20S-NS	1-piece EMI/RFI Shield	Nickel-Silver	14.8	14.8	2
MS155-20C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	15.9	11.9	2.1
MS155-20F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	15.5	11.5	2.3
MS155-20S-NS	1-piece EMI/RFI Shield	Nickel-Silver	15.5	11.5	2.3
MS156-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	16	11	2.6

MS P/N.	Item Description	Material	Ext. Dimensions (mm)		
			L	W	H
MS156-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	15.6	10.6	3
MS156-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	15.6	10.6	3
MS168-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	17.2	13.9	3
MS168-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	16.8	13.5	5
MS168-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	16.8	13.5	5
MS182-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	18.6	17	3.5
MS182-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	18.2	16.6	3.8
MS182-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	18.2	16.6	3.8
MS183-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	18.9	11.1	3
MS183-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	18.3	10.5	3
MS183-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	18.3	10.5	3
MS183-20C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	18.7	15.8	1.7
MS183-20F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	18.3	15.4	1.9
MS183-20S-NS	1-piece EMI/RFI Shield	Nickel-Silver	18.3	15.4	1.9
MS190-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	19.4	14.3	1.7
MS190-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	19	13.9	2
MS190-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	19	13.9	2
MS191-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	19.7	18.8	3.5
MS191-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	19.1	18.2	5
MS191-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	19.1	18.2	5
MS192-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	19.6	15.3	3.5
MS192-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	19.2	14.9	3.8
MS192-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	19.2	14.9	3.8
MS193-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	19.9	11.1	2.7
MS193-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	19.3	10.5	3
MS193-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	19.3	10.5	3
MS193-20C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	19.9	18.9	3
MS193-20F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	19.3	18.3	3.5
MS193-20S-NS	1-piece EMI/RFI Shield	Nickel-Silver	19.3	18.3	3.5

MS P/N.	Item Description	Material	Ext. Dimensions (mm)		
			L	W	H
MS199-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	20.3	9.6	2
MS199-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	19.9	9.2	2
MS199-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	19.9	9.2	2
MS199-20C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	20.3	18.3	2
MS199-20F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	19.9	17.9	2.3
MS199-20S-NS	1-piece EMI/RFI Shield	Nickel-Silver	19.9	17.9	2.3
MS206-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	21.2	18.4	2.7
MS206-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	20.6	17.8	3
MS206-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	20.6	17.8	3
MS207-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	21.3	18.8	3.5
MS207-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	20.7	18.2	5.5
MS207-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	20.7	18.2	5.5
MS209-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	21.3	15.7	1.7
MS209-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	20.9	15.3	1.7
MS209-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	20.9	15.3	1.7
MS209-20C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	21.3	15.7	1.7
MS209-20F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	20.9	15.3	2
MS209-20S-NS	1-piece EMI/RFI Shield	Nickel-Silver	20.9	15.3	2
MS209-30C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	21.3	14.4	2.2
MS209-30F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	20.9	14	2.2
MS209-30S-NS	1-piece EMI/RFI Shield	Nickel-Silver	20.9	14	2.2
MS210-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	21.6	12.6	4
MS210-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	21	12	5
MS210-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	21	12	5
MS213-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	21.7	20.3	2.5
MS213-10CP-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	21.7	20.3	2.5
MS213-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	21.3	19.9	2.9
MS213-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	21.3	19.9	2.9
MS215-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	21.9	19.6	3.5

MS P/N.	Item Description	Material	Ext. Dimensions (mm)		
			L	W	H
MS215-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	21.5	19.2	3.8
MS215-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	21.5	19.2	3.8
MS220-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	22.6	19.9	3
MS220-10CP-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	22.6	19.9	3
MS220-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	22	19.3	3.3
MS220-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	22	19.3	3.3
MS220-20C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	22.4	18.1	3
MS220-20F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	22	17.7	3
MS220-20S-NS	1-piece EMI/RFI Shield	Nickel-Silver	22	17.7	3
MS220-30C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	22.6	11.9	2.8
MS220-30CP-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	22.6	11.9	2.8
MS220-30F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	22	11.3	2.8
MS220-30S-NS	1-piece EMI/RFI Shield	Nickel-Silver	22	11.3	2.8
MS220-40C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	22.6	11.9	2.8
MS220-40CP-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	22.6	11.9	2.8
MS220-40F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	22	11.3	7
MS220-40S-NS	1-piece EMI/RFI Shield	Nickel-Silver	22	11.3	7
MS223-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	22.7	17.7	4
MS223-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	22.3	17.3	5
MS223-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	22.3	17.3	5
MS226-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	23	17.5	2
MS226-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	22.6	17.1	2
MS226-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	22.6	17.1	2
MS230-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	23.6	12.3	3
MS230-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	23	11.7	5
MS230-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	23	11.7	5
MS230-20C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	23.4	15.2	3.5
MS230-20F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	23	14.8	3.8
MS230-20S-NS	1-piece EMI/RFI Shield	Nickel-Silver	23	14.8	3.8

MS P/N.	Item Description	Material	Ext. Dimensions (mm)		
			L	W	H
MS233-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	23.7	17.9	2.8
MS233-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	23.3	17.5	3.3
MS233-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	23.3	17.5	3.3
MS233-20C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	23.7	14.9	3
MS233-20F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	23.3	14.5	3
MS233-20S-NS	1-piece EMI/RFI Shield	Nickel-Silver	23.3	14.5	3
MS243-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	24.7	9.3	3
MS243-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	24.3	8.9	3.8
MS243-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	24.3	8.9	3.8
MS250-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	25.6	21.6	3
MS250-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	25	21	4
MS250-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	25	21	4
MS256-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	26	15.9	2.3
MS256-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	25.6	15.5	2.3
MS256-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	25.6	15.5	2.3
MS257-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	26.3	26.3	4
MS257-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	25.7	25.7	6.5
MS257-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	25.7	25.7	6.5
MS259-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	26.3	26.3	3
MS259-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	25.9	25.9	3
MS259-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	25.9	25.9	3
MS260-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	26.6	23.6	4
MS260-10CP-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	26.6	23.6	4
MS260-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	26	23	7.8
MS260-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	26	23	7.8
MS263-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	26.9	17.4	4
MS263-10CP-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	26.9	17.4	4
MS263-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	26.3	16.8	4.5
MS263-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	26.3	16.8	4.5

MS P/N.	Item Description	Material	Ext. Dimensions (mm)		
			L	W	H
MS263-20C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	26.9	20.4	3.7
MS263-20F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	26.3	19.8	8.1
MS263-20S-NS	1-piece EMI/RFI Shield	Nickel-Silver	26.3	19.8	8.1
MS266-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	27	25.8	3.5
MS266-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	26.6	25.4	3.8
MS266-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	26.6	25.4	3.8
MS268-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	27.4	16.2	2.5
MS268-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	26.8	15.6	2.5
MS268-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	26.8	15.6	2.5
MS268-20C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	27.4	16.2	2.5
MS268-20F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	26.8	15.6	4
MS268-20S-NS	1-piece EMI/RFI Shield	Nickel-Silver	26.8	15.6	4
MS270-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	27.6	20.6	3.5
MS270-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	27	20	6
MS270-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	27	20	6
MS288-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	29.4	20	4
MS288-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	28.8	19.4	5
MS288-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	28.8	19.4	5
MS290-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	29.6	26.6	2.9
MS290-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	29	26	3
MS290-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	29	26	3
MS293-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	29.9	25.9	4
MS293-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	29.3	25.3	6.4
MS293-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	29.3	25.3	6.4
MS293-20C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	29.9	16.9	3.5
MS293-20F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	29.3	16.3	9.7
MS293-20S-NS	1-piece EMI/RFI Shield	Nickel-Silver	29.3	16.3	9.7
MS300-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	30.6	25	3
MS300-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	30	24.4	3.5

MS P/N.	Item Description	Material	Ext. Dimensions (mm)		
			L	W	H
MS300-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	30	24.4	3.5
MS300-20C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	30.4	15.2	1.8
MS300-20F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	30	14.8	2
MS300-20S-NS	1-piece EMI/RFI Shield	Nickel-Silver	30	14.8	2
MS302-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	30.8	19.5	2.7
MS302-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	30.2	18.9	3
MS302-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	30.2	18.9	3
MS308-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	31.4	18.4	4.4
MS308-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	30.8	17.8	4.4
MS308-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	30.8	17.8	4.4
MS310-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	31.6	17.7	2.7
MS310-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	31	17.1	3
MS310-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	31	17.1	3
MS312-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	31.8	30.6	4
MS312-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	31.2	30	5
MS312-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	31.2	30	5
MS320-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	32.4	11.7	2
MS320-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	32	11.3	2
MS320-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	32	11.3	2
MS321-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	32.5	17	2.2
MS321-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	32.1	16.6	2.5
MS321-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	32.1	16.6	2.5
MS323-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	32.9	24.4	4
MS323-10CP-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	32.9	24.4	4
MS323-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	32.3	23.8	3.7
MS323-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	32.3	23.8	3.7
MS323-20C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	32.9	24.4	4
MS323-20CP-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	32.9	24.4	4
MS323-20F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	32.3	23.8	4.7

MS P/N.	Item Description	Material	Ext. Dimensions (mm)		
			L	W	H
MS323-20S-NS	1-piece EMI/RFI Shield	Nickel-Silver	32.3	23.8	4.7
MS323-30C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	32.9	24.4	4
MS323-30CP-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	32.9	24.4	4
MS323-30F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	32.3	23.8	9
MS323-30S-NS	1-piece EMI/RFI Shield	Nickel-Silver	32.3	23.8	9
MS326-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	33	20.4	2.8
MS326-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	32.6	20	5
MS326-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	32.6	20	5
MS329-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	33.3	21.1	2.2
MS329-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	32.9	20.7	2.5
MS329-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	32.9	20.7	2.5
MS333-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	33.9	13.9	3.5
MS333-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	33.3	13.3	4.4
MS333-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	33.3	13.3	4.4
MS338-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	34.2	30.7	3.2
MS338-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	33.8	30.3	3.3
MS338-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	33.8	30.3	3.3
MS345-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	35.1	23.9	3.3
MS345-10CP-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	35.1	23.9	3.3
MS345-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	34.5	23.3	3.5
MS345-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	34.5	23.3	3.5
MS345-20C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	35.1	22.1	2.8
MS345-20F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	34.5	21.5	3.2
MS345-20S-NS	1-piece EMI/RFI Shield	Nickel-Silver	34.5	21.5	3.2
MS350-20C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	35.6	12.6	4
MS350-20CP-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	35.6	12.6	4
MS350-20F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	35	12	7.5
MS350-20S-NS	1-piece EMI/RFI Shield	Nickel-Silver	35	12	7.5
MS353-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	35.7	20.4	3.5

MS P/N.	Item Description	Material	Ext. Dimensions (mm)		
			L	W	H
MS353-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	35.3	20	6.4
MS353-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	35.3	20	6.4
MS353-20C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	35.7	22.7	3.5
MS353-20F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	35.3	22.3	6.4
MS353-20S-NS	1-piece EMI/RFI Shield	Nickel-Silver	35.3	22.3	6.4
MS353-30C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	35.9	29.7	3
MS353-30F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	35.3	29.1	3.5
MS353-30S-NS	1-piece EMI/RFI Shield	Nickel-Silver	35.3	29.1	3.5
MS355-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	36.1	19.6	3.8
MS355-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	35.5	19	5.5
MS355-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	35.5	19	5.5
MS366-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	37	34.5	2.8
MS366-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	36.6	34.1	3.3
MS366-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	36.6	34.1	3.3
MS374-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	37.8	24.3	3.5
MS374-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	37.4	23.9	3.8
MS374-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	37.4	23.9	3.8
MS375-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	38.1	29.9	3.8
MS375-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	37.5	29.3	6.5
MS375-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	37.5	29.3	6.5
MS378-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	38.4	22.2	2.7
MS378-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	37.8	21.6	3
MS378-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	37.8	21.6	3
MS378-20C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	38.4	15.7	3.1
MS378-20F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	37.8	15.1	3.7
MS378-20S-NS	1-piece EMI/RFI Shield	Nickel-Silver	37.8	15.1	3.7
MS381-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	38.7	25.9	2.7
MS381-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	38.1	25.3	3
MS381-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	38.1	25.3	3

MS P/N.	Item Description	Material	Ext. Dimensions (mm)		
			L	W	H
MS382-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	38.8	33.9	3
MS382-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	38.2	33.3	5
MS382-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	38.2	33.3	5
MS384-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	39	38.2	4
MS384-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	38.4	37.6	11
MS384-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	38.4	37.6	11
MS385-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	38.9	19.9	3.5
MS385-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	38.5	19.5	3.8
MS385-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	38.5	19.5	3.8
MS385-30C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	38.9	21.9	1.8
MS385-30F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	38.5	21.5	2
MS385-30S-NS	1-piece EMI/RFI Shield	Nickel-Silver	38.5	21.5	2
MS400-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	40.6	18.9	3
MS400-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	40	18.3	4
MS400-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	40	18.3	4
MS400-20C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	40.6	11.6	3.5
MS400-20CP-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	40.6	11.6	3.5
MS400-20F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	40	11	7.5
MS400-20S-NS	1-piece EMI/RFI Shield	Nickel-Silver	40	11	7.5
MS402-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	40.8	35.2	3.5
MS402-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	40.2	34.6	5.3
MS402-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	40.2	34.6	5.3
MS405-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	41.1	19.5	2.8
MS405-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	40.5	18.9	2.8
MS405-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	40.5	18.9	2.8
MS409-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	41.3	21.9	2.4
MS409-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	40.9	21.5	2.5
MS409-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	40.9	21.5	2.5
MS410-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	41.6	27	3.1

MS P/N.	Item Description	Material	Ext. Dimensions (mm)		
			L	W	H
MS410-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	41	26.4	3.7
MS410-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	41	26.4	3.7
MS412-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	41.8	14.2	3.2
MS412-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	41.2	13.6	5.1
MS412-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	41.2	13.6	5.1
MS415-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	42.1	17.4	4
MS415-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	41.5	16.8	6.8
MS415-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	41.5	16.8	6.8
MS415-20C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	42.1	27.1	5
MS415-20F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	41.5	26.5	9.5
MS415-20S-NS	1-piece EMI/RFI Shield	Nickel-Silver	41.5	26.5	9.5
MS423-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	42.9	15.9	3.5
MS423-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	42.3	15.3	4.4
MS423-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	42.3	15.3	4.4
MS434-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	44	29	3.1
MS434-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	43.4	28.4	3.3
MS434-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	43.4	28.4	3.3
MS448-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	45.2	18.6	2.8
MS448-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	44.8	18.2	3
MS448-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	44.8	18.2	3
MS448-20C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	45.2	18.6	2.8
MS448-20F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	44.8	18.2	5.7
MS448-20S-NS	1-piece EMI/RFI Shield	Nickel-Silver	44.8	18.2	5.7
MS453-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	45.9	16.8	2.9
MS453-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	45.3	16.2	6
MS453-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	45.3	16.2	6
MS460-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	46.4	15.2	1.8
MS460-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	46	14.8	2
MS460-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	46	14.8	2

MS P/N.	Item Description	Material	Ext. Dimensions (mm)		
			L	W	H
MS466-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	47.2	17.9	4
MS466-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	46.6	17.3	5
MS466-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	46.6	17.3	5
MS473-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	47.9	23.9	3.5
MS473-10CP-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	47.9	23.9	3.5
MS473-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	47.3	23.3	5.3
MS473-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	47.3	23.3	5.3
MS477-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	48.3	18.8	3
MS477-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	47.7	18.2	4
MS477-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	47.7	18.2	4
MS483-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	48.9	44.9	4
MS483-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	48.3	44.3	4.4
MS483-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	48.3	44.3	4.4
MS488-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	49.4	17.9	3.5
MS488-10CP-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	49.4	17.9	3.5
MS488-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	48.8	17.3	7.5
MS488-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	48.8	17.3	7.5
MS490-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	49.6	35.6	3.5
MS490-10CP-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	49.6	35.6	3.5
MS490-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	49	35	7.5
MS490-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	49	35	7.5
MS501-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	50.7	34.5	4
MS501-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	50.1	33.9	5.3
MS501-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	50.1	33.9	5.3
MS511-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	51.7	26.3	4
MS511-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	51.1	25.7	6.5
MS511-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	51.1	25.7	6.5
MS511-20C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	51.7	39	4
MS511-20F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	51.1	38.4	6.5

MS P/N.	Item Description	Material	Ext. Dimensions (mm)		
			L	W	H
MS511-20S-NS	1-piece EMI/RFI Shield	Nickel-Silver	51.1	38.4	6.5
MS513-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	51.9	27.1	3.5
MS513-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	51.3	26.5	9.5
MS513-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	51.3	26.5	9.5
MS520-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	52.6	27.3	3.5
MS520-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	52	26.7	6
MS520-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	52	26.7	6
MS544-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	55	24.5	5
MS544-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	54.4	23.9	7.5
MS544-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	54.4	23.9	7.5
MS544-20C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	55	24.5	3.5
MS544-20CP-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	55	24.5	3.5
MS544-20F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	54.4	23.9	13.5
MS544-20S-NS	1-piece EMI/RFI Shield	Nickel-Silver	54.4	23.9	13.5
MS546-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	55.2	30.2	3.5
MS546-10CP-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	55.2	30.2	3.5
MS546-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	54.6	29.6	7
MS546-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	54.6	29.6	7
MS548-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	55.4	41.4	4
MS548-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	54.8	40.8	11
MS548-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	54.8	40.8	11
MS570-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	57.6	31.6	3.5
MS570-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	57	31	6
MS570-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	57	31	6
MS585-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	59.1	50.3	3
MS585-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	58.5	49.7	4.7
MS585-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	58.5	49.7	4.7
MS593-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	59.9	21.2	2.5
MS593-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	59.3	20.6	2.8

MS P/N.	Item Description	Material	Ext. Dimensions (mm)		
			L	W	H
MS593-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	59.3	20.6	2.8
MS593-20C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	59.9	21.2	3
MS593-20F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	59.3	20.6	5.7
MS593-20S-NS	1-piece EMI/RFI Shield	Nickel-Silver	59.3	20.6	5.7
MS595-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	60.1	51	2.5
MS595-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	59.5	50.4	3.2
MS595-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	59.5	50.4	3.2
MS631-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	63.5	35.9	2.5
MS631-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	63.1	35.5	2.8
MS631-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	63.1	35.5	2.8
MS638-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	64.4	36.9	4
MS638-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	63.8	36.3	11
MS638-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	63.8	36.3	11
MS643-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	64.9	20.9	5
MS643-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	64.3	20.3	6.7
MS643-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	64.3	20.3	6.7
MS737-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	74.3	28.7	3
MS737-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	73.7	28.1	2.9
MS737-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	73.7	28.1	2.9
MS900-10C-NS	2-piece EMI/RFI Shield COVER	Nickel-Silver	90.6	40	3.5
MS900-10F-NS	2-piece EMI/RFI Shield FRAME	Nickel-Silver	90	39.4	4
MS900-10S-NS	1-piece EMI/RFI Shield	Nickel-Silver	90	39.4	4

Stay updated. View our Online Catalog:


www.masach.com



Download our **free CADs**
& **OrderOnline**

MS087-10F* SMT/SMD Packing Tray

* COMPATIBLE TO ALL MS087-10 SERIES CONFIGURATIONS



Storage & Handling

Cold Reduced Electrolytic **Tinplate Steel** / TS275E8.4/8.4 EN 10202:2001

The materials used to fabricate these components are based on mild steel with less than 0.12% Carbon and no more than 1% alloying elements and naturally occurring impurities.

Major shielding elements are thus ferrous and tin. The thin resultant layer of tin enables shields to be easily soldered to PC boards as well as to resist corrosion during the assembly process.

Tin plate items offer the most cost effective shielding protection provided the following care is taken during storage and handling:

1. Do not pass these components through a salt bath test, they are not designed for such severe treatment. Alternate materials (albeit more expensive) are available.
2. Components should be left in the package trays until assembly to preserve component planarity.
3. Store in a cool dry place and avoid water or other liquids from coming into contact with components.
4. Mild scratching and scuffs are natural for processed components from pre-plated material. Protective films can be ordered especially for unblemished finish of components.
5. Extremely thin film of oil may cover some components. This does not affect soldering and need not to be removed.

Tinplate components constitute over 85% of the materials used in the Masach production program and have been proven effective in their respective applications.

Cold Reduced **Nickel Silver** Alloy Strip / UNS C77000 / UNS C73500

Chemical Composition 55% Copper, 27% Zinc And 18% Ni. Major shielding elements in this alloy are copper and nickel. Reflow temperatures are slightly higher than tin plate components and the use of suitable fluxes are needed to avoid excessive oxidation.

Nickel Silver components do not require extra plating due to their good solder ability, attractive finish and corrosion resistance.

1. Components should be left in the package trays until assembly to preserve component planarity.
2. Store in a cool dry place and avoid water or other liquids from coming into contact with components.
3. Mild scratching and scuffs are natural for processed components from Nickel Silver. Protective films can be ordered especially for unblemished finish of components.
4. Extremely thin film of oil may cover some components. This does not affect soldering and need not to be removed.

Nickel Silver components complement the Masach production programme and have proven effective in their respective applications.

(Disclaimer: The above given information is intended only for guidance purpose & technical support of the intended recipient. This information is not to be used for any litigation purpose)

Global Product Availability



Global Recognition



We continue to develop innovative products utilizing new manufacturing techniques, serving our ever-growing network of worldwide distributors and customers.

Contact your local distributor or shop online: [Contac Us](#)

AS9100D Aerospace (AMS*) Certification



AS9100D certified, we are committed to delivering the highest quality products and services at the forefront of aerospace technology.

* *Environmental Management Systems*

Green Policy



ISO 14001:2015 Environmental (EMS*) Certification



We use only fabricated materials that are RoHS & REACH compatible, with standards continually updated. COC of base material used is available upon request.






Scrap and Discarded Material

All material scrap resultant from the fabrication process is gathered and stored in separate bins for subsequent recycling. We pride ourselves in achieving 100% recycling of all metallic waste. Plastic sheet scrap resultant from the vacuum form process is 100% recycled via the raw material provider. We encourage our customers to return the vacuum form package trays and packing cartons for future recycling.





Environment






Our modern fabrication plant and facilities are surrounded by trees, shrubs and flower beds. Water condensed from the plant's air conditioners serve to water our gardens, requiring no additional irrigation.

* *Environmental Management Systems*







Masach[®]





Setting the **Standard for Shielding.**™





Setting the Standard for Shielding.™

Where To Buy?

Contact your local distributor
or shop online



B.C.E. s.r.l.
Via Regina Pacis, 54/c - 41049 SASSUOLO (MO) Italy
Tel. +39 0536 811.616 r.a. - Fax +39 0536 811.500
www.bce.it - E-mail: bce@bce.it



Explore More

View our wide range of Drawn-Seamless EMI/RFI Shields



www.masach.com



Masach